
Crystal Touch Manager



Ver.1.06

[illegible]

[illegible] [illegible] 3
[illegible] [illegible] 3
1 Crystal Touch Manager [illegible] [illegible] 4
1-1 [illegible] [illegible] 4
1-2 [illegible] [illegible] 4
2 [illegible] [illegible] 5
3 [illegible] [illegible] 6
4 [illegible] [illegible] 7
5 Crystal Touch Manager [illegible] [illegible] 7
5-1 [illegible] [illegible] 7
5-2 Windows 7 [illegible] [illegible] 8
5-3 Windows Vista [illegible] [illegible] 12
5-4 Windows XP [illegible] [illegible] 15
5-5 [illegible] [illegible] 18
5-6 [illegible] [illegible] 21
5-7 Frame Rate [illegible] [illegible] 22
5-8 [illegible] [illegible] 23

LCD-V651-TM LCD-V462-TM
Windows 7
Windows 7

Windows XP Windows Vista Crystal Touch Manager

→P12 Vista

→P15 XP

Windows XP Windows Vista Windows 7

→P8

( )
NEC
0120-975-380
9:00 18:00 ( ) PHS

USB
USB ( )

LCD-V651-TM 65

LCD-V462-TM 46



Windows®
Crystal Touch Lumio Inc.

1 Crystal Touch Manager

OS

1-1

Lumio Inc.

① http://www.lumio.com/ Support → Downloads → Software

② Documents Crystal Touch Manager v4.013.1 for Windows OS



③

④ Zip

⑤ CTM.exe

⑥

1-2

□□□□

Lumio Inc.□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Lumio Inc.□□□□□□□□□□□□□Mac OSX□□Linux OS□□Windows OS□□□□□□□□□

□□□□□OS□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

2□□□□□


□□□□□□□□□□□□□□OS□□□□□□□□□□□□□□□□□□□□□

CPU	Pentium IV □□□□□□□□□□□□□□□□□
□□□	512MB □□□□
HDD □□	20GB □□
□□ OS	Microsoft Windows 7 Ultimate 32/64bit □ SP1
	Microsoft Windows 7 Professional 32/64bit □ SP1
	Microsoft Windows 7 Home Premium 32/64bit □ SP1
	Microsoft Windows Vista Ultimate 32/64bit □ SP2
	Microsoft Windows Vista Business 32/64bit □ SP2
	Microsoft Windows Vista Home Premium 32/64bit □ SP2
	Microsoft Windows XP Professional 32bit □ SP3
	Microsoft Windows XP Home Edition 32bit □ SP3
USB	USB 2.0/3.0□□
□□□	□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□Windows□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□Windows□□□□□□Microsoft .NET Framework 3.5□□□□□□□

□□Microsoft .NET Framework 3.5□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□



□□□□□□□□□□Microsoft .NET Framework 3.5□□

□Windows Vista□□□□□□□□□□□□□□□□□□□□□

□□□

□ Windows XP□□□□□□□□□□□□□□□□□□□□
□□□
□□□□

□□□□

Windows 7□□□Microsoft .NET Framework 3.5□□□□□□□□□□□□□□□□□□□

3□□□□□

①□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
②□□□□□□□□□□□□□□□□

□ OPS□□□□ SBC□□□□□□PC□□□□□□□□□□□□□


□□□□□□□□□□□ OPS□□□□□SB-02AM□□□□□□□OPS□□□□ SBC□□□□□PC□□
□□□□□□□□□□□□

□□□ OPS□□□□ SBC□□□□□PC□□□□□□□□□□□□□□□□□□□□□□

□□□□

OPS□□□□ SBC□□□□□PC□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□
□□□ USB□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□



③□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

4 □□□□□□□□□□□□

OPS □□□□ SBC □□□□□□PC □□□□□□□□□□□□□□□□□□□OPTION□□□□□□□□□□□□□

□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ON□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□PC□□□AUTO□□□□□□□□□□

□□□□

PIP□POP□PICTURE BY PICTURE □□□□□□□□□□□□□□□□□□□□□

□PIP□POP□PICTURE BY PICTURE □□□ 1920x1080 □□□□□□□□□□□□□□□□□□□□□□□□□□□FULL□□□□□□□□□

1920x1080 □□□□□□□□□□□□□□□□□□□□□□FULL □□



5 Crystal Touch Manager □□□

□□□

Mac OSX□Linux OS □□□□□□□□□□□□□□Windows OS □□□Frame Rate □□□□□ 150 □□□□□□□□□□□□□□□□□□□□□□□□□□

5-1 □□


□CTM.exe□□□□□□□□□□□□

□□□□□□□□□1-1□□□□□□□□□□□□□□→P4□□□□□□□□□


5-2 Windows 7□□□□□□

Platform□□□□□□□□ Operating System□ Windows 7□□□□□□□□□□□

Platform□□□□□□□□ Touches□ 4□□□□□□□□□



Gestures□□□□□□□□ Dbl-Click Speed□ 10□□□□□□□□□



□□□

Gestures□□□□□□□□ Dbl-Click Speed□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□

Geometry□□ □□ □ □ □ □ Rotation □ 0□ □ □ □□ □□ □□ □
Geometry□□ □□ □ □ □ □ Frame Rate □ 150□ □ □ □□ □□ □□ □

Crystal Touch Manager

LUMIO
Virtual Interface Technology

Platform | Gestures | Geometry | Version

Rotation
0
90
180
270

Exposure 36
Frame Rate 150


Max Object Size allows the setting of the largest object recognized by the controller. Valid range is from 2 to 255. Use this to reduce interaction when someone leans on the screen, for example. Objects larger than the setting will not be recognized by the controller.

The Rotation options inform the controller that the screen has been rotated and will make the necessary adjustments to the coordinate system.


Exposure is not modifiable. It shows the present automatically calculated exposure value. The Touch controller will internally adjust the Exposure setting as necessary to obtain the best sensor readings.

Frame Rate specifies the maximum


Revert Apply



□□□□□□□□□□□□□□□□□“X”□□□□□□□□□□□□



□□□□□□□□□□□□□□□□“□□”□□□□□□□□□□□□□□□□□□□




□□□□Windows 7□□□□□□□□□□

□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□30□□□□□□□□□□□□□□

戻る



① Windows 7

②

③

ペンとタッチ

ペンのオプション | フリック | 手書き | タッチ | パン

フリックを使用してよく実行する操作を素早く簡単に行う(U)

ナビゲーション フリック(N)

ナビゲーション フリックと編集フリック(E)

カスタマイズ(C)...

無効

感度(S)

フリックをどの程度認識されやすくするかを調整できます。緩和度を高くすると、偶発的なフリックが発生する可能性があります。

緩和　厳密

ペン(P):

タッチ(T):

通知領域にフリック アイコンを表示する(D)

フリックの使い方の練習

OK　キャンセル　適用(A)




5-3　Windows Vista□□□□□□


Platform□□□□□□□□ Operating System□ Windows Vista□□□□□□□□□□

Platform□□□□□□□□ Protocol□ Mouse□□□□□□□□□□

□□□ Multi-Touch□□□ Gestures□□□□□□□□□□□□□Mouse□□□□□□□□□□□□□




Gestures□□□□□□□□ Dbl-Click Speed□ 10□□□□□□□□□




□□□

Gestures□□□□□□□□ Dbl-Click Speed□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□


Geometry□□ □□ □ □ □ □ Rotation □ 0□ □ □ □□ □□ □□ □
Geometry□□ □□ □ □ □ □ Frame Rate □ 150□ □ □ □□ □□ □□ □



□□□□□□□□□□□□□□□□□□“X”□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□□□□“□□”□□□□□□□□□□□□□□□□□□□□



□□□□Windows Vista□□□□□□□□□□

□□□□


□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□30□□□□□□□□□□□□□□□□□

5-4 Windows XP □□□□□□


Platform□□□□□□□□□ Operating System□ Windows XP □□□□□□□□□□□

Platform□□□□□□□□□ Protocol□ Mouse□□□□□□□□□□□

□□□□ Gestures□□□□□□□□□□□□□□□Mouse□□□□□□□□□□□□□□□



Gestures□□□□□□□□□ Dbl-Click Speed □ 10□□□□□□□□□□



□□□

Gestures□□□□□□□□□ Dbl-Click Speed□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

Geometry□□ □□ □ □ □ □ Rotation □ 0□ □ □ □□ □□ □□ □

Geometry□□ □□ □ □ □ □ Frame Rate □ 150□ □ □ □□ □□ □□ □

Crystal Touch Manager

LUMIO

Virtual Interface Technology

Platform | Gestures | Geometry | Version

Rotation

0

90

180

270

Exposure 36

Frame Rate 150


Max Object Size allows the setting of the largest object recognized by the controller. Valid range is from 2 to 255. Use this to reduce interaction when someone leans on the screen, for example. Objects larger than the setting will not be recognized by the controller.

The Rotation options inform the controller that the screen has been rotated and will make the necessary adjustments to the coordinate system.


Exposure is not modifiable. It shows the present automatically calculated exposure value. The Touch controller will internally adjust the Exposure setting as necessary to obtain the best sensor readings.

Frame Rate specifies the maximum


Revert Apply



□□□□□□□□□□□□□□□□□□□□□“X”□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□□□□ “□□”□□□□□□□□□□□□□□□□□□□□□□



□□□□Windows XP□□□□□□□□□

□□□□

□□□30□□□□□□□□□□□□□□□□

5-5 [illegible]


[illegible]

V651-TM [illegible]

V462-TM [illegible]


Windows 7□□□□□□

Geometry□□□□□□□□□ Rotation□ 0□□□□□□□□□□ “X”□□□□□□□□□□□□




Windows Vista□□□□□□

Geometry□□□□□□□□□ Rotation□ 90□□□□□□□□□□ “X”□□□□□□□□□□□□




Windows XP □□□□□□

Geometry□□□□□□□□□ Rotation□ 90□□□□□□□□□□□ "X"□□□□□□□□□□□□



□□□□□□□□□□□□□□□□□□□□□ "□□"□□□□□□□□□□□□□□□□□□□□

□Windows 7□□□□□□



□□□□Rotation□□□□□□□□□□

□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 30□□□□□□□□□□□□□□□

5-6 □□□□□□□□□□□□□

□□□□□□□□ Dbl-Click Speed□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Windows □□□□□□□

□□□□10□□□□□□□□

Windows Vista□□□□XP□□□□□□

□□□□10□□□□□□□□

□□□ Windows Vista□□□□XP□□□□□□□□□ 50□□□□□□□□□

□□□□

Windows□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□10□□□□□□ Windows OS□□□□□□□□□□□□

□□□□□□ Windows OS□□□□□□□□□□□□□□□□□□□□□□□□

Windows 7□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□


Windows Vista□XP□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□


5-7 Frame Rate□□□□□□

1□□
Frame Rate□□150□□□□□□□□□



5-8 [illegible]

Version [illegible]



Crystal Touch Manager
LUMIO
Virtual Interface Technology
Platform
Gestures
Geometry
Version
CTM Version
4.0.13.1
Firmware Version
02.04.22.01.
Serial Number
****
About
CTM Version is the version number of this application.
Firmware Version refers to the software in the Touch controller, typically embedded in the display.
Serial Number is the unique serial number of the Touch controller. Knowledge of the serial number is helpful if a problem is noticed with a component.
Revert
Apply